



Outline

- Boeing Vision
- Integrated CNS
- Common Information Network (CIN)
- Open Architecture
- Benefits



Vision: Revolutionary Architecture




Trajectory-based airspace management




Space-based communication, navigation, and surveillance

Integrated total system solution



nmon imormation network




Simplified airspace design

- "Layered" security approach
- Open system principles—growth for the future
- Phased transition plan—builds on existing plans




ATM Revolution Definition



Stepwise improvements at quick pace
—integrated in a "system of systems" approach—
build to a revolution in capability




Global Integrated-CNS System






I-CNS Functional Scope






ATM Architecture Evolution



BOEING

Vision Architecture— Integration of C, N, & S






Common Information Network Tenets

- End-to-end communications globally for both terrestrial and airborne elements
- Encompasses air-to-ground data-links
- Integrates ATM-relevant networks
- Aircraft networks will be IP-capable
- IPv6 will be widely deployed in world's networks



Common Information Network Components



Common Transport Network


Communications internetwork

Common Information Base

Distributed information warehouse




CIN – A Network of Networks






Comm Service Providers Essential



Heterogeneous mobility scheme relies on 3rd-party relationships



CTN Attributes




- Global, ubiquitous coverage
- Secure communications
- Open architecture
- Common off-the-shelf technology and standards
- Data-centric, with voice also
- Controllable quality of service
- Dynamic bandwidth management
- Mobility
- Multicast

CTN interconnects ATM information sources and users



CIB Attributes




- Cooperative information system
- Virtual data warehouse
- Publish & subscribe paradigm
- Standards-based data distribution for robustness and scalability
- Data controlled by parties responsible for content
- Information assurance
- Multi-level security and access control

CIB supports ATM applications



CIN Open Architecture



Use of industry standards minimizes risk and cost



Common Information Network in the Cockpit





Integrated-CNS Benefits

Attribute	Benefit
 Global system with open, standards- based architecture 	Worldwide infosphere accessible to allAffordable implementation
Worldwide voice and data comm	 High situational awareness for safety and security
 Integration of available comm links, narrowband and broadband 	Robust critical communicationsHigh data rate available when necessary
State & intent of aircraft always available	 Aircraft track monitoring for security Rapid trajectory deviation correction
 Navigation corrections and integrity broadcast (e.g., WAAS and LAAS) 	Increased enroute and airport capacity
Multiple CNS capabilities accommodated	Affordable equipage for all aircraft classes
 Functional and geographic diversity, with autonomic fault resolution 	Robust operationsLow vulnerability to attack



Summary

- Evolutionary transition to revolutionary architecture
- Large-scale system integration
- Shared awareness by a Common Information Network
- Automated decision aids integrate information sources